

MT 826/826 D/826 DT

Entry level wheel balancer



- Compact size
- Electronic measuring arm
- Dynamic balancing programs

MT 826/826 D/826 DT

Entry level wheel balancer

The MT 826/826 D/826 DT are electronic wheel balancers designed for low to medium volume workshops. Thanks to the new extreme versatility and compact size design, the MT 826 electronic wheel balancer series is suitable for working in narrowest environments and with all types of car, motorcycle and lightweight transportation wheels. Supplied with a TFT monitor (MT 826 DT), EASYFIT internal electronic measuring arm and a complete software package including all static and dynamic balancing programs. Thanks to the new wheel cover shape and the new weight holders both units are the perfect equipment in the workshop environment.

Highlights:

- New Ergonomic wheel cover shape
- New weight holder
- Up to 820 mm diameter
- Max wheel weight 65 kg
- Small footprint
- Internal electronic measuring arm for rim distance & diameter (MT 826 D/DT)
- Optional, external electronic measuring arm for rim width
- Many holders for weights and tools
- Monitor TFT 19" (MT 826 DT)



Weight Holder:

- Ergonomic weight holder for weights and tools
- Easily accessible

**Keyboard:**

- Intuitive 5 keys-keyboard raised for a better sensibility and accessible from any position

**Scope of delivery:**

- MT 826/826 D/826 DT
- 19" TFT-Monitor / Double Digital LED Display
- Wheel protection
- Mechanic centering flange
- Cones:
 - 3 cones for mechanical locking system
- Weight plier
- Compass
- Calibration weight



Technical data

	MT 826/826 D	MT 826 DT
Power Supply	230V 1ph 50/60 Hz	230V 1ph 50/60 Hz
Balancing Speed (50-60Hz)	208 U/min (50Hz) / 250 (60 Hz)	208 U/min (50Hz) / 250 (60 Hz)
Max. Wheel Weight	65 Kg	65 Kg
Max. Wheel Diameter	820 mm	820 mm
Max. Wheel Width	420 mm	420 mm
Rim Diameter	8" – 26,5" / 10" – 24" automatisch	6" – 40" / 10" – 24" automatisch
Rim Width	2" – 20" / 1 – 20" automatisch	1" – 24" / 1 – 20" automatisch
Accuracy	1g / 0.05oz	1g / 0.05oz
Max. dimensions (WxDxH)	1100 x 1270 x 1280	1100 x 1270 x 1370

Accessory

PN: 1695 653 449



Light transport vehicle cone
(88 – 132 mm)

PN: 1 695 107 200



Cone spacer

PN: 1695 654 849



Set of light truck cones
88 – 174 mm

PN: 1695 901 667



Kit of Off-Road cones from the back
incl. pins (40 mm) distance ring,
polyamide spacer

PN: 1695 554 043



3-4-5-hole Flange

PN: 1695 655 294



Set of QuickPlates
(4-, 5-, 6-holes-plates)

PN: 1695 600 598



Electronic rim width measurement
arm (MT 826 D/DT)

PN: 1695 656 698



DuoExpert system (3 collets in a
case, 54 – 78 mm)

PN: 1695 656 570



Kit demo box for passenger car

PN: 1695 654 039



Basic motorbike wheel centring kit
(14 mm)

PN: 1695 654 060



Monolever wheel centring kit+shaft
(19 mm)

PN: 1695 606 300



Fourth cone (Ø 120-174 mm)

Beissbarth GmbH
A Bosch Group company
Hanauer Straße 101
80993 München
Germany

Tel. +49-89-149 01-0
Fax +49-89-149 01-240

www.beissbarth.com
sales@beissbarth.com

